



# Federal Communications Commission

Approved by OMB  
3060-0999  
See instructions for  
public burden  
estimate.

## Hearing Aid Compatibility Status Report (FCC Form 655)

Reporting Period: July 1, 2017 – June 30, 2018

Filing Confirmation Number: 0008279188

Filing Deadline: July 16, 2018

FRN: 0018941682

Filing Date: 07/10/2018 12:05 PM

### General Report Information

#### Type of Company

Device Manufacturer

#### De Minimis Exception

Have you been offering handsets in the United States for at least three years prior to the end of the reporting period? Yes

Date that you began offering handsets in the United States

Are you a small entity? No

Were you a small entity at any time during the three years prior to the end of the reporting period?  
No

Date that you ceased to be a small entity?

#### Company Information

Company Name: HTC America, Inc.

Brand Names: HTC

PO Box:

Street Address: 308 Occidental Ave S, Floor 3

City: Seattle

State: WA

Zip Code: 98104

Contact Name: Lisa Finkral

Contact Phone: (425) 679-5329

Contact Fax:

Contact Email: lisa\_finkral@htc.com

#### Filing Agent

Is this report being filed by an agent on behalf of a manufacturer or service provider? No

#### Product Labeling

Do all hearing aid-compatible handsets include labeling? Yes

Explain:

Do all hearing aid-compatible handsets that were tested under ANSI C63.19-2007, and that are

capable of voice communication over any air interface or frequency band that does not have hearing aid compatibility technical standards under ANSI C63.19-2007, include the required language disclosing that the handset has not been rated for hearing aid compatibility with respect to such operation?

No

Explain: All devices were tested and complied under ANSI C63.19-2011.

Do all hearing aid-compatible handsets that were certified only under ANSI C63.19-2007, but that the manufacturer also tested and found not to meet hearing aid compatibility requirements under ANSI C63.19-2011 for one or more operations that are not covered under ANSI C63.19-2007, include language informing users by clear and effective means that the handset does not meet the relevant rating or ratings with respect to such operation(s)?

No

Explain: All devices were tested and complied under ANSI C63.19-2011.

Do all handsets that are capable of use for Voice over LTE or Wi-Fi Calling, and that were certified for inductive coupling capability under ANSI C63.19-2011 without being tested for inductive coupling capability over Voice over LTE or Wi-Fi Calling, include language disclosing that they were not tested with respect to this operation?

No

Explain: T-Coil of VoLTE is tested.

Do all handsets that meet the criteria for an M3 rating by allowing the user to reduce the maximum power for GSM operation in the 1900 MHz band include the required disclosure?

Explain:

#### Public Website

Does your company maintain a public website describing all hearing aid-compatible models, the ratings of those models, and an explanation of the rating system? Service provider websites must include the levels of functionality that the service provider has defined, the level that each hearing aid-compatible model falls under, and an explanation of how the functionality of the handsets varies at the different levels. Yes

Website address: <https://www.htc.com/us/accessibility/hearing-aid-compatibility/>

Explain:

#### Consumer Outreach

Describe consumer outreach efforts in the past 12 months: Due to organizational changes over the past year, we were unable to perform any consumer outreach efforts. However, we plan to perform more outreach events over the next 12 months.

#### Hearing Aid Testing

How many handset models were tested for hearing aid compatibility during the reporting period? 1

#### Report Remarks

---

You have reported the following handset model summary information.

Total number of handsets offered: 10

Air Interface	Fully Hearing Aid Compatible		Acoustic Coupling Compatible Only		Non-Compliant Handsets		Total by Air Interface
	Number	Percent	Number	Percent	Number	Percent	
GSM	8	100%					8
CDMA	5	100%					5
WCDMA	9	100%					9
LTE	7	100%					7
Wi-Fi	7	100%					7

### Handset 1: HTC 2PQ9120

#### Handset Maker

HTC

#### Handset Model Name

2PQ9120

#### FCC ID

NM82PQ9120

#### Air Interfaces/Frequency Bands

850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
2100 MHz WCDMA

#### Dates

This handset model was offered from: 11/15 to 08/17

#### Ratings

M-Rating: M3

M-Rating Certification Date: 10/02/15

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 10/02/15

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

---

## Handset 2: HTC 2PS6400

Handset Maker

HTC

Handset Model Name

FCC ID

2PS6400

NM82PS6400

Air Interfaces/Frequency Bands

800 MHz CDMA

1900 MHz CDMA

Dates

This handset model was offered from: 05/16 to 08/17

Ratings

M-Rating: M4

M-Rating Certification Date: 04/22/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 04/22/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

---

### Handset 3: HTC 2PS6500

#### Handset Maker

HTC

#### Handset Model Name

2PS6500

#### FCC ID

NM82PS6500

#### Air Interfaces/Frequency Bands

800 MHz CDMA  
1900 MHz CDMA  
1900 MHz WCDMA  
2100 MHz WCDMA

#### Dates

This handset model was offered from: 04/16 to 08/17

#### Ratings

M-Rating: M4

M-Rating Certification Date: 03/31/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911?

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 03/31/16

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 4: HTC 2PST200

#### Handset Maker

HTC

#### Handset Model Name

2PST200

#### FCC ID

NM82PST200

#### Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA

1900 MHz LTE  
2.4 GHz Wi-Fi  
2.5 GHz LTE

#### Dates

This handset model was offered from: 07/16 to 05/18

#### Ratings

M-Rating: M4

M-Rating Certification Date: 06/03/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/03/16

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

---

### Handset 5: HTC 2PST300

#### Handset Maker

HTC

#### Handset Model Name

2PST300

#### FCC ID

NM82PST300

#### Air Interfaces/Frequency Bands

800 MHz CDMA  
800 MHz WCDMA  
800 MHz LTE  
850 MHz GSM  
850 MHz CDMA  
850 MHz LTE  
1700 MHz LTE  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi

#### Dates

This handset model was offered from: 07/16 to 05/18

#### Ratings

M-Rating: M4

M-Rating Certification Date: 06/20/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 06/20/16

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 6: HTC 2PYB200

#### Handset Maker

HTC

#### Handset Model Name

2PYB200

#### FCC ID

NM82PYB200

#### Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz CDMA  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
900 MHz GSM  
1800 MHz GSM  
1800 MHz LTE  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz WCDMA  
1900 MHz LTE  
2100 MHz WCDMA  
2.4 GHz Wi-Fi  
2.5 GHz LTE  
5.0 GHz LTE  
5.0 GHz Wi-Fi

#### Dates

This handset model was offered from: 10/16 to 12/17

#### Ratings

M-Rating: M4

M-Rating Certification Date: 10/17/16

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 10/17/16

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

## Handset 7: HTC 2PYR200

Handset Maker

HTC

Handset Model Name

FCC ID

2PYR200

NM82PYR200

Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
1700 MHz WCDMA  
1800 MHz GSM  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2.4 GHz Wi-Fi

Dates

This handset model was offered from: 02/17 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 02/17/17



Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 02/17/17

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 8: HTC 2PZC500

#### Handset Maker

HTC

#### Handset Model Name

2PZC500

#### FCC ID

NM82PZC500

#### Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz CDMA  
800 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
900 MHz GSM  
900 MHz LTE  
1700 MHz WCDMA  
1800 MHz GSM  
1800 MHz LTE  
1900 MHz GSM  
1900 MHz CDMA  
1900 MHz LTE  
2100 MHz LTE  
2.4 GHz Wi-Fi  
2.5 GHz LTE  
5.0 GHz Wi-Fi

#### Dates

This handset model was offered from: 05/17 to 06/18

#### Ratings

M-Rating: M4

M-Rating Certification Date: 05/17/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T3

T-Rating Certification Date: 05/17/17

Version of the ANSI C63.19 standard used during the certification process: 2011

#### Remarks

### Handset 9: HTC 2PZF100

#### Handset Maker

HTC

#### Handset Model Name

2PZF100

#### FCC ID

NM82PZF100

#### Air Interfaces/Frequency Bands

700 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
900 MHz GSM  
900 MHz LTE  
1700 MHz WCDMA  
1700 MHz LTE  
1800 MHz GSM  
1800 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2100 MHz LTE  
2.4 GHz Wi-Fi  
2.5 GHz LTE  
5.0 GHz Wi-Fi

#### Dates

This handset model was offered from: 02/17 to 12/17

#### Ratings

M-Rating: M4

M-Rating Certification Date: 02/03/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 02/03/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

## Handset 10: HTC 2Q3F300

Handset Maker

HTC

Handset Model Name

FCC ID

2Q3F300

NM82Q3F300

Air Interfaces/Frequency Bands

700 MHz LTE  
800 MHz LTE  
850 MHz GSM  
850 MHz WCDMA  
850 MHz LTE  
900 MHz GSM  
900 MHz WCDMA  
1700 MHz WCDMA  
1700 MHz LTE  
1800 MHz GSM  
1800 MHz LTE  
1900 MHz GSM  
1900 MHz WCDMA  
1900 MHz LTE  
2100 MHz WCDMA  
2100 MHz LTE  
2.4 GHz Wi-Fi  
5.0 GHz Wi-Fi  
2600 MHz LTE

Dates

This handset model was offered from: 11/17 to 06/18

Ratings

M-Rating: M4

M-Rating Certification Date: 09/20/17

Did this handset meet the criteria for an M3 rating for operations over GSM at 1900 MHz by enabling the user optionally to reduce the maximum power at which the handset will operate by no more than 2.5 decibels, except for emergency calls to 911? N

Version of the ANSI C63.19 standard used during the certification process: 2011

T-Rating: T4

T-Rating Certification Date: 09/20/17

Version of the ANSI C63.19 standard used during the certification process: 2011

Remarks

---

## Certification

This Report has been certified by:

Lisa Finkral Corporate Counsel  
07/10/2018 12:05 PM